

Safety Data Sheet

Issuing Date: November 20, 2		Revision Number: 2	
1. Identification of the Substance/Preparation and the Company Undertaking			
GHS Product Identifier			
Product Name	Super Seam Sealer – All Colors		
Other Means of Identification			
Part Number	01400, 01401, 01450, 01451		
Color	Ash Grey, Sand Beige		
Formula Code	SKM		
Synonyms	none		
Recommended use of the chemical and restrictions on use			
Recommended Use	adhesive for flooring		
Uses Advised Against	No information available		
Supplier's Details			
Supplier Address SKM Industries Inc. 1012 Underwood Road Olyphant, Pa 18447 Telephone: 570-383-3062			

Emergency Telephone Number

Chemtrec US & Canada 800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This product is not classified as dangerous according to the OSHA Hazard Communications Standard 2012 (29 CFR 1910.1200)

Skin Corrosion/Irritation - Category 2 Eye Damage Irritation – Category 2A Acute toxicity oral – Category 4

GHS Label Elements, including precautionary statements

Emergency Overview

Signal Word – Warning

Hazard Statements -

Causes Skin irritation Causes Eye irritation Harmful if swallowed



Appearance – Colored paste Physical state- Paste Odor – Mild characteristic odor

Precautionary Statements Prevention

Wash face and hands and any exposed skin thoroughly after handling Wear protective gloves/clothing/eye protection/face protection Do not eat, drink or smoke when using this product

General Advice

If exposed or concerned: get medical attention/advice

Eyes

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persists: get medical attention/advice.

Skin

If on Skin: Wash with plenty of water. If skin irritation occurs; get medical attention/advice. Take off contaminated clothing and wash it before reuse.

Inhalation

If inhaled: Remove patient to fresh air and keep at rest in a comfortable position for breathing. Get medical attention if irritation or other symptoms occur

Ingestion

If swallowed: call a poison center/doctoe if you feel unwell. Rinse mouth.

Fire

Use CO2, dry chemical, foam, or water fog

Spills and Leaks

Cover with inert absorbent. Contain and collect spillage.

Storage

Store in dry well ventilated place. Keep tightly sealed. Prevent unauthorized access.

Disposal

Dispose of contents/container in approved waste disposal plant or in accordance with local/regional regulations.

Hazard not Otherwise Classified (HNOC)

Not applicable

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS -No	Weight %
Aqueous Adhesive	Trade secret	10-90
Pigment	Trade secret	5-20

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

General Advice	In case of doubt, or when symptoms persist, seek medical attention.		
Eye Contact	May cause irritation. Immediately flush eyes with plenty of water for at least fifteen (15) minutes. If condition persists consult a physician.		
Skin Contact	Prolonged contact may cause slight irritation of skin. Remove contaminated clothing. Was skin thoroughly with soap and water. If irritation develops or persists get medical attention.		
Inhalation:	If symptomatic, move to fresh air, keep patient warm and at rest. Seek medical attention if irritation or other symptoms occur.		
Ingestion	If accidentally swallowed rinse mouth with water and obtain immediate medical attention.		
Protection of First Aiders Use personal protection equipment. Wear self-contained breathing apparatus and full protective clothing when in confined area.			
Most important symptoms/effects, acute and delayed			
Most important symptoms/effects May cause eye/skin irritation.			
Indication of immediate medical attention and special treatment needed, if necessary			

Note to physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water fog, carbon dioxide or chemical foam.

Unsuitable extinguishing media No information available

Specific Hazards arising from the chemical No information available

Flash Point: >212°F Flammability Limits (% by volume): Non-flammable Unusual Fire Explosion Hazards: none Flammability Classification: OSHA-none DOT-none

Protective Equipment and Precautions for Firefighters

Wear appropriate self-contained breathing apparatus MSHA/NIOSH (approved or equivalent) and full protective gear. Cool closed containers exposed to fire with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid breathing vapours. Evacuate personnel to safe areas. Ensure adequate ventilation.

Environmental Precautions Avoid release into the environment.

Methods and materials for containment and cleaning up

Methods for containment	Contain the spillage with inert absorbent materials such as sand, earth, vermiculite, diatomaceous earth and sweep up and place in a suitable waste disposal container for disposal in accordance with the state, federal and local regulations
Methods for Cleaning Up	Clean, preferably with detergent: avoid use of solvents. If the product enters drains or sewers, immediately contact the local water company; in case of contamination of streams, rivers or lakes, the relevant environment agency.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Avoid skin and eye contact. Avoid the inhalation of vapor and mist.

Conditions for safe storage, including any incompatibilities

StorageObserve label precautions. Store inside between 60-100°F in a dry, well
ventilated place. Prevent unauthorized access. Keep from freezing. Avoid
excessive heat or cold.

Incompatible products Strong oxidizers. Avoid heat and open flame.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Appropriate engineering controls

Engineering Measures Showers, eyewash stations, ventilation systems

Individual protection measures, such as personal protective equipment

Skin and body Protection Protective gloves

Respiratory Protection None under normal use with adequate ventilation. If irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn

Hygiene Measures When using do not eat, drink, or smoke. Provide regular cleaning of equipment, work areas and clothing. Wash with soap and water after exposure.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Property

Boiling Point Weight per Gallon VOC(grams per liter) Vapor Density (AIR = 1) Evaporation Rate (Butyl Acetate=1) Solubility in Water PH Appearance Odor Value 212°F 8.4 lbs zero same as water same as water not soluble (dispersible) 8 colored paste mild characteristic

10. STABILITY AND REACTIVITY

Reactivity	No data available
Chemical Stability	Stable under normal storage and handling conditions
Possibility of Hazardous reactions	None under normal use
Hazardous Polymerization	Will not occur
Conditions to Avoid	Keep from freezing. Avoid heat and open flame.
Incompatible Materials	Strong oxidizing agents
Hazardous Decomposition Products	Carbon monoxide, carbon dioxide

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information None available. There is no data available on the product itself.

12. ECOLOGICAL INFORMATION

Ecotoxity

There is no data available on the product itself

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated Packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not regulated. Non-flammable. This material is not classified as dangerous for carriage.

DOMESTIC HIGHWAY (Containers < 1 Quart are ORM-D) PROPER SHIPPING NAME: Consumer Commodity HAZARD CLASS/SUBSIDIARY HAZARD: ORM-D UN.NA NO. None PACKING GROUP: None LABEL REQUIRED: ORM-D

15. REGULATORY INFORMATION

TSCA INVENTORY: The product on this SDS is not listed on the Toxic Substances Control Act Inventory. All ingredients used to manufacture this product are listed on the TSCA Inventory.

16. OTHER INFORMATION

HMIS Health Hazard 1

Flammability 0

Reactivity 0

Personal Protection B

SKM has been advised by attorney that the OSHA Hazard Communication Standard does not apply to the SKM products listed in this SDS. The explanation for the exemption is contained in 29 CFR 1910.1200(b)(6)(ix) as amended July 1, 2002 per the code of Federal Regulations. This information contained in this MSDS is forwarded to you for your information, but is not meant to imply that the Hazard Communication Standard covers the product nor is this SDS meant to comply with all requirements of the Hazard Communication Standard.

End of Safety Data Sheet