

## Safety Data Sheet

Issuing Date: 9 February 2015 Revision Date: 12 August 2022

**Revision Number: 2** 

1. Identification of the Substance/Preparation and the Company Undertaking

#### **GHS Product Identifier**

**Product Name** 

Grout-Aide Grout & Tile Marker

#### **Other Means of Identification**

#### Part Number:

**Bulk Stock** 05030WB: White (Bulk) 05032WB: Buff (Bulk) 05031WB: Gray (Bulk) 05061WB: Almond (Bulk) 05079WB: Antique White (Bulk) 05006: Boston Fern (Bulk) 05007: Caramel (Bulk) 05008: Chambray (Bulk) 05098WB: Charcoal (Bulk) 05009: Chocolate Truffle (Bulk) 05011: Cinnamon (Bulk) 05032: Copper Beach (Bulk) 05013: Dusty Rose (Bulk) 05014: Hemp (Bulk) 05015: Ivory (Bulk) 05016: Kashmir (Bulk) 05017: Laguna (Bulk) 05018: Latte (Bulk) 05019: Lichen (Bulk) 05020: Light Petwer (Bulk) 05021: Marble Beige (Bulk) 05022: Midnigh Black (Bulk) 05084WB: Mocha (Bulk) 05024: Moss (Bulk) 05025: Mushroom (Bulk) 05026: Natural Gray (Bulk) 05027: Navajo Tan (Bulk) **Formula Code SKM-16** 

05028: Parchment (Bulk) 05044: Pewter (Bulk) 05049: Platinum (Bulk) Carded Stock 05030: White (Carded) 05032: Buff (Carded) 05031: Gray (Carded) Six Pack 05038: White (6 Pack) 05046: Buff (6 Pack) 05047: Gray (6 Pack) 05061: Almond (6 Pack) 05079: Antique White (6 Pack) 05077: Boston Fern (6 Pack) 05074: Caramel (6 Pack) 05068: Chambray (6 Pack) 05098: Charcoal (6 Pack) 05089: Chocolate Truffle (6 Pack) 05066: Cinnamon (6 Pack) 05067: Copper Beach (6 Pack) 05086: Dusty Rose (6 Pack) 05082: Hemp (6 Pack) 05100: Ivory (6 Pack) 05062: Kashmir (6 Pack) 05103: Laguna (6 Pack) 05071: Latte (6 Pack) 05075: Lichen (6 Pack)

05093: Light Petwer (6 Pack) 05080: Marble Beige (6 Pack) 05099: Midnigh Black (6 Pack) 05084: Mocha (6 Pack) 05076: Moss (6 Pack) 05069: Mushroom (6 Pack) 05094: Natural Gray (6 Pack) 05063: Navajo Tan (6 Pack) 05070: Parchment (6 Pack) 05101: Pewter (6 Pack) 05097: Platinum (6 Pack) 05088: Quarry Red (6 Pack) 05081: River Rock (6 Pack) 05065: Saltillo (6 Pack) 05072: Sand Beige (6 Pack) 05083: Sandstone (6 Pack) 05078: Sauterne (6 Pack) 05073: Silk (6 Pack) 05085: Siltstone (6 Pack) 05102: Silver (6 Pack) 05091: Silver Shadow (6 Pack) 05096: Slate Gray (6 Pack) 05092: Smoke Gray (6 Pack) 05087: Spiced Cider (6 Pack) 05095: Sterling Silver (6 Pack) 05090: Turquoise (6 Pack)

#### Synonyms

none

#### Recommended use of the chemical and restrictions on use

**Recommended Use** 

No information available

Covers grout and caulk stains

Uses Advised Against

## Supplier's Details

#### **Supplier Address**

SKM Industries Inc. 1012 Underwood Road Olyphant, Pa 18447 Telephone: 570-383-3062

#### Emergency Telephone Number

Chemtrec US 800-424-9300 International 703-527-3887

#### 2. HAZARDS IDENTIFICATION

#### **Classification**

This product is not classified as dangerous according to the CHIP Regulations.

#### GHS Label Elements, including precautionary statements

#### **Emergency Overview**

Signal Word – Warning Hazard Statements – Skin irritation Eye irritation Respiratory irritation May be harmful if swallowed



Appearance – Opaque Physical state- Liquid Odor – Paint Odor

#### Precautionary Statements Prevention

Do not handle until all safety precautions have been read and understood Keep container tightly closed Avoid breathing dust/vapors/fumes Wash face and hands and any exposed skin thoroughly after handling Wear protective gloves/clothing/eye protection/face protection Use personal protection as required

#### **General Advice**

If exposed or concerned: get medical attention/advice **Eyes** 

Rinse cautiously with water for several minutes. Remove contact lenses if present. Continue rinsing. If irritation persists seek medical attention/advice.

#### Skin

Remove contaminated clothing. Rinse skin with water/shower. If irritation persists seek medical attention/advice.

#### Inhalation

Remove patient to fresh air and keep at rest in a comfortable position for breathing.

### Ingestion

If accidentally swallowed obtain immediate medical attention. Do not induce vomiting

#### Fire

Use CO2, dry chemical, foam, or water spray

#### Spills and Leaks

Contain and collect spillage

#### Storage

Store in dry well ventilated place. Keep tightly sealed. Prevent unauthorized access.

#### Disposal

Dispose of contents/container in approved waste disposal plant

#### Hazard not Otherwise Classified (HNOC)

Not applicable

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS -No	Weight %	Trade Secret
Water		50%	*
Titanium Dioxide	13463-67-7	30%	*
Resin	proprietary	10%	*
Surfactant	proprietary	10%	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES		
Description of necessary first-aid measures		
General Advice	In case of doubt, or when symptoms persist, seek medical attention.	

Eye Contact	Immediately flush eyes with plenty of water for at least fifteen (15) minutes. Get medical attention immediately.
Skin Contact	Remove contaminated clothing. Was skin thoroughly with soap and water or use a proprietary skin cleanser.
Inhalation:	Remove to fresh air, keep patient warm and at rest. If breathing is irregular seek medical advice.
Ingestion	If accidentally swallowed rinse mouth with water and obtain immediate medical attention.

Protection of First Aiders Use personal protection equipment.

Most important symptoms/effects, acute and delayed

Most important symptoms/effects No information available

Indication of immediate medical attention and special treatment needed, if necessary

Note to physician Treat symptomatically

#### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Foam, CO<sub>2</sub>, powder, water spray

Unsuitable extinguishing media No information available

#### Specific Hazards arising from the chemical No information available

Flash Point: 150°F

#### Flammability Limits (% by volume): Non-flammable Unusual Fire Explosion Hazards: none

#### **Protective Equipment and Precautions for Firefighters**

Wear appropriate self-contained breathing apparatus MSHA/NIOSH (approved or equivalent) and full protective gear. Cool closed containers exposed to fire with water spray.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

# **Personal Precautions** Avoid breathing vapours. Evacuate personnel to safe areas. Ensure adequate ventilation.

# **Environmental Precautions** Avoid release into the environment. Do not allow to enter drains or watercourses.

#### Methods and materials for containment and cleaning up

Methods for containment	Contain the spillage with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth and place in a suitable container for disposal in accordance with the waste regulations
Methods for Cleaning Up	Clean, preferably with detergent: avoid use of solvents. If the product enters drains or sewers, immediately contact the local water company; in case of contamination of streams, rivers or lakes, the relevant environment agency.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling Avoid skin and eye contact. Avoid the inhalation of vapor and mist.

Conditions for safe storage, including any incompatibilities

StorageObserve label precautions. Store between 5-25° C in a dry, well ventilated<br/>place. Prevent unauthorized access.

Incompatible products Unknown

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Appropriate engineering controls

**Engineering Measures** Showers, eyewash stations, ventilation systems

#### Individual protection measures, such as personal protective equipment

**Eye/Face protection** None under normal use conditions

Skin and body Protection None under normal use conditions

**Respiratory Protection** None under normal use conditions. If irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn

**Hygiene Measures** When using do not eat, drink, or smoke. Provide regular cleaning of equipment, work areas and clothing.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Property_
Boiling Point
Specific Gravity ( $H_2O = 1$ ) @ 70°F
Vapor Pressure (mm-Hg @ 70°F)
Melting Point
Vapor Density (AIR = 1)
Evaporation Rate (Butyl Acetate=1)
Solubility in Water
PH
Appearance
Odor

## <u>Value</u>

>100°C
Greater than one (1)
No Data
No Data
Greater than one (1)
Less than one (1)
100%
No Data
White opaque thick viscosity liquid
Paint odor.

10. STABILITY AND REACTIVITY		
Reactivity	No data available	
Chemical Stability	Stable under normal storage and handling conditions	
Possibility of Hazardous reactions	None under normal use	
Hazardous Polymerization	Will not occur	
Conditions to Avoid	No Data	
Incompatible Materials	None	
Hazardous Decomposition -products	None	

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

**Product Information** None available. There is no data available on the product itself.

#### 12. ECOLOGICAL INFORMATION

## There is no data available on the product itself

#### **13. DISPOSAL CONSIDERATIONS**

**Waste Disposal Methods** Dispose of in accordance with all applicable local, state and federal regulations.

**Contaminated Packaging** Do not re-use empty containers.

#### **14. TRANSPORT INFORMATION**

**DOT** Not regulated. Non-flammable liquid paint. This material is not classified as dangerous for carriage.

Domestic Highway (Containers <1 Quart are Limited Quantity) Proper Shipping Name: Limited Quantity

<b>Commodity Hazard Clas</b>	ss/Subsidiary:	Limited Quantity
UN/NA No.:	None	
Packing Group:	None	
Label Required:	Limited Quar	ntity

#### **15. REGULATORY INFORMATION**

TSCA INVENTORY: The product on this SDS is not listed on the Toxic Substances Control Act Inventory. All ingredients used to manufacture this product are listed on the TSCA Inventory.

#### **16. OTHER INFORMATION**

NFPA	Health Hazard 1	Flammability 1	Instability 0
HMIS	Health Hazard 1	Flammability 1	Physical Hazard 0

SKM has been advised by attorney that the OSHA Hazard Communication Standard does not apply to the SKM products listed in this SDS. The explanation for the exemption is contained in 29 CFR 1910.1200(b)(6)(ix) as amended July 1, 2002 per the code of Federal Regulations. This information contained in this MSDS is forwarded to you for your information, but is not meant to imply that the Hazard Communication Standard covers the product nor is this SDS meant to comply with all requirements of the Hazard Communication Standard. **End of Safety Data Sheet**